



# THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602  
Phone: 813-223-9702 Fax: 813-223-9332  
WWW.THORNTONLAB.COM

31-Oct-2018  
Page 1 of 1

Report For: Coast of Maine  
145 Newburg St.  
Portland, ME 04101  
Attn: Felicia Newman

Sample Identification:

MNBC Starter Food  
Id: 3-5-2

Date Received: 3-Oct-2018

Laboratory Number: 418246A

### CERTIFICATE OF ANALYSIS

| Method    | Parameter                          | Result  | Units | Detection Limit- | Analysis Date/Analyst |
|-----------|------------------------------------|---------|-------|------------------|-----------------------|
| EPA 6010  | Arsenic (As), Total                | 3.1     | mg/Kg | 0.01             | 10-26-18 DS           |
|           | Barium (Ba), Total                 | 75      | mg/Kg | 0.01             | 10-26-18 DS           |
|           | Cadmium (Cd), Total                | 0.1     | mg/Kg | 0.01             | 10-26-18 DS           |
|           | Chromium (Cr), Total               | 17      | mg/Kg | 0.01             | 10-26-18 DS           |
|           | Cobalt (Co), Total                 | 2.6     | mg/Kg | 0.01             | 10-26-18 DS           |
|           | Copper (Cu), Total                 | 218     | mg/Kg | 0.01             | 10-26-18 DS           |
|           | Lead (Pb), Total                   | 7.7     | mg/Kg | 0.01             | 10-26-18 DS           |
| EPA 7471  | Mercury (Hg), Total                | < 0.022 | mg/Kg | 0.022            | 10-11-18 *            |
| EPA 6010  | Molybdenum (Mo), Total             | 2.5     | mg/Kg | 0.01             | 10-26-18 DS           |
|           | Nickel (Ni), Total                 | 13      | mg/Kg | 0.01             | 10-26-18 DS           |
|           | Zinc (Zn), Total                   | 211     | mg/Kg | 0.01             | 10-26-18 DS           |
|           | Selenium (Se), Total               | 1.1     | mg/Kg | 0.01             | 10-26-18 DS           |
|           | Silver (Ag), Total                 | < 0.25  | mg/Kg | 0.25             | 10-11-18 *            |
| EPA 3050B | Digestion/Preparation for Analysis |         |       | 1.0442-100       | 10-16-18 SR           |

\* Analysis performed by Pace Analytical [#E84809].

THORNTON LABORATORIES  
Steve Fickett, III